

Aluminium Syntan

Aspect	:	Light beige Powder
Mineral Content	:	Al ₂ O ₃ : 11- 13%
Moisture content	:	5.0% Max.
pH	:	In 10% aqueous solution, 2.5-3.5
Solubility	:	Readily soluble in water

PROPERTIES**SWAEKASYN AL**

- It gives good fixation to anionic dyes and increasing the dyeing brilliancy.
- Is suitable for white leather because it gives good whiteness to the leather.
- Improves buffing property and gives short nap for nubuck and suede leather.
- It can be used for fixing water repellent and water proofing fat liquors.
- It has good tanning property so can be use along with chrome.

APPLICATIONS

Chrome free tanning	:	3.0 – 6.0 % SWAEKASYN AL, based on pelt wt
Chrome Tanning	:	1.0 – 3.0%SWAEKASYN AL, before Chrome, based on pelt wt.
Other Retanning	:	2.0 – 4.0% SWAEKASYN AL, based on shaved wt
Fixing Water proof Leather	:	2.0 – 3.0% SWAEKASYN AL, based on shaved wt.