



SWAEKASYN AN-BPF

Synthetic, amphoteric, replacement tanning agent

Aspect	: White powder
Basis	: Bisphenol Free Blend of phenolic and amino condensation products
Moisture content	: 6.0 %
pH	: In 10% aqueous solution, 3.0 – 4.0
Solubility	: Excellent
Light fastness	: Good

PROPERTIES

SWAEKASYN AN-BPF

- is compatible with chrome tanning agents & combination tanning agents containing chrome .
- gives full & brilliant shades to the leather, when applied alone.
- imparts good fullness & good softness to the leather.
- it improved dye ability of leather to clear & brilliant shade.
- being amphoteric , it can be used at both lower and higher pH.
- imparts good softness & medium fullness without giving extra weight to the leather.

APPLICATIONS

SWAEKASYN AN-BPF can be used during Rechroming, neutralization and retanning. However, the most suitable stage is during neutralization.

In Rechroming	:	2 – 3 % SWAEKASYN AN-BPF
In Neutralization	:	2 – 3 % SWAEKASYN AN-BPF
In Retanning	:	2 – 5 % SWAEKASYN AN-BPF